

<b>Section</b>	<b>Description</b>
<b>Resource Title</b>	CO2 sequestration from forest and bogs – Flow/Supply
<b>Resource Abstract</b>	Atmospheric CO2 is one of the most well known greenhouse gases and one of the most powerful drivers of climate change. The sequestration of CO2 from the atmosphere is therefore an important regulating ecosystem service that is recognized by international environmental obligations and reporting programmes. The benefits of CO2 sequestration are not limited to the Alpine population, but represent the contribution of the Alpine area to global climate protection. Within AlpES, the ecosystem service CO2 sequestration is considered in relation to the ecosystems mountain forest and Alpine bogs. However, due to data availability and reliability, the indicator maps produced within AlpES only include the contribution to CO2 sequestration given by forests.
<b>Resource Type</b>	Dataset
<b>Resource locator</b>	<a href="http://www.alpes-webgis.eu/?X=850359.92&amp;Y=5947762.56&amp;zoom=6&amp;lang=en&amp;focus=focus_alpes&amp;bgLayer=alpes.osm.stamentoner.60002&amp;layers=alpes.alpinespace.40001.wms.alpes.essi.10063&amp;catalogNodes=101000000,101000006&amp;layers_opacity=1,0.7">http://www.alpes-webgis.eu/?X=850359.92&amp;Y=5947762.56&amp;zoom=6&amp;lang=en&amp;focus=focus_alpes&amp;bgLayer=alpes.osm.stamentoner.60002&amp;layers=alpes.alpinespace.40001.wms.alpes.essi.10063&amp;catalogNodes=101000000,101000006&amp;layers_opacity=1,0.7</a>
<b>Unique Resource Identifier</b>	4UZ9-AFM9-9LVA-TZ8C
<b>Resource Language</b>	eng
<b>Topic Category</b>	Environment Climatology/Meteorology/Atmosphere
<b>Keyword value</b>	Atmospheric conditions (INSPIRE Spatial Data Theme) Carbon sequestration (GEMET Concepts) Forest (GEMET Concepts) Biomass (GEMET Concepts)
<b>Originating controlled vocabulary</b>	- title: GEMET - INSPIRE themes, version 1.0 - date: -dateType: publication -date: 2008-06-01 - title: GEMET - Concepts, version 4.0.1 - date: -dateType: publication -date: 2017-06-28
<b>Geographic bounding box</b>	West = 1.986194  East = 18.622061  North = 50.068114  South = 42.700501
<b>Coordinate reference System</b>	EPSG: 3035 (ETRS89, LAEA)

<b>Temporal extent</b>	2012
<b>Date of publication</b>	2018-07-20
<b>Lineage</b>	<p>The indicator represents the annual rate of CO2 sequestration by forests at the municipal level. This value is calculated on the base of the IPCC equations (2.9 and 2.10 of the IPCC guidelines, vol. 4, ch. 2) used to estimate the annual increase in biomass carbon stock due to biomass accumulation. This method allows for the assessment of above- and below-ground estimation of biomass increase in tonnes of carbon per year. The application of a standard constant converts the result into the amount of CO2 being sequestered.</p> <p>IPCC, (2006) IPCC guidelines for national greenhouse gas inventories, prepared by the national greenhouse gas inventories program, Vol. 4, Ch. 2-4, Forest Land</p>
<b>Spatial resolution</b>	100000
<b>Specification</b>	Commission Regulation (EU) No 1089/2010 of 23 November 2010 implementing Directive 2007/2/EC of the European Parliament and of the Council as regards interoperability of spatial data sets and services, date of publication: 2010-12-08.
<b>Degree</b>	Null
<b>Conditions applying to access and use</b>	<a href="#">CC BY-NC 4.0</a>
<b>Limitations on public access</b>	No Limitation
<b>Responsible party</b>	Eurac Research, Viale Druso 1, 39100 Bolzano, Italy Institute for Alpine Environment - <a href="mailto:alpine.environment@eurac.edu">alpine.environment@eurac.edu</a>
<b>Responsible party role</b>	Author
<b>Metadata point of contact</b>	Eurac Research, Viale Druso 1, 39100 Bolzano, Italy Institute for Alpine Environment - <a href="mailto:alpine.environment@eurac.edu">alpine.environment@eurac.edu</a>
<b>Metadata date</b>	2017-09-18
<b>Metadata language</b>	eng